

Dystrybutor i importer profesjonalnych narzędzi serwisowych
Bikershop[®]


BIKE HAND



**Bikershop „Aktywna strona życia „
Dystrybutor i importer
WWW.BIKERSHOP.PL**

Dane kontaktowe:

Sprzedaż hurtowa, reklamacje, marketing, magazyn :

ul. Puskarska 7
30-644 Kraków
telefon centralna : + 48 12 255 99 00
faks: +48 12 255 99 01
hurt@bikershop.pl

Sprzedaż internetowa detaliczna:

telefon: +48 698 166 304
faks: +48 12 623 76 70
sklep.online@bikershop.pl

Sklepy detaliczne:

Sklep w Krakowie
ul. Czarnowiejska 4
31-126 Kraków
telefon: 012 423 32 62
faks: 012 623 76 70
bikershopkrk@o2.pl

Sklep w Katowicach
ul. Jana Matejki 2
40-077 Katowice
telefon: 032 352 01 93
faks: 032 352 01 94
sklep.katowice@bikershop.pl

Sklep w Nowym Sączu
ul. Paderewskiego 77
33-300 Nowy Sącz
telefon/fax: 018 441 08 27
bikershopns@op.pl



Bikershop



YE CHOU INDUSTRY CO., LTD.
 No. 44, Lane 8, Sec. 1, Chang Mei Rd.,
 Changhua City 500, Taiwan.
 Tel: 886-4-7282177 Fax: 886-4-7225763
 E-mail: yechou@ms29.hinet.net
 http://www.biketaiwan.com/btwy005
 Executive: Ramond Ho



NEW
Model YC-29BB-1A
 Bottom Bracket Tool, with axle center
 For stably installing and removing Shimano, SRAM,
 Truvativ Giga X Pipe and Howitzer, Race Face, FSA
 and Campagnolo 16 notch external bearing bottom
 bracket cups.
 PE: 20pcs/11kgs, 12kgs/0.4'



NEW
Model YC-29BB-3A
 Bottom Bracket Tool, with alloy 16 notch inner ring It can
 be used both sides and won't damage bottom bracket cups.
 PE: 50pcs/13kgs, 14kgs/0.5'
Model YC-29BB-3AP
 Alloy 16 notch inner ring. It is used with YC-29BB-3A.
 PE: 100pcs/10kgs, 11kgs/0.5'



YC-100-1A
 Tool Tray

Pat. 264193
Model YC-100BH
 Bicycle Repair Stand
 Alloy Material,
 Head Rotated 360 Degrees,
 Height Quickly Adjusted.
 Box: 1 Pc/5kgs, 6kgs/1.3'



NEW
Model YC-292
 Portable Tool
 2/2.5/3/4/5/6 mm hex key wrench, -screwdriver,
 tire lever, disc brake pad adapter.
 PE: 100pcs/10kgs, 11kgs/0.4'



NEW
Model YC-305D
 Tire Lever Set (3 pcs/set)
 plastic-metal boosted
 PE: 200sets/12kgs, 13kgs/0.8'



NEW
Model YC-8F
 Spoke Wrench
 3.2/3.45 mm unique four-sided design provides
 extra strength and helps prevent slipping and
 deformation of Aluminum nipples.
 3.5 mm spoke wrench
 4.0 mm for Shimano Aluminum nipples
 PE: 300pcs/15kgs, 16kgs/0.5'



NEW
Model YC-623-9C
 9 colors hex key wrench set
 1.5/2/2.5/3/4/5/6/8/10 mm ball-end hex key
 wrenches
 PE: 50sets/22kgs, 23kgs/0.4'



NEW **Pat.**
Model YC-118W
 Folding Display
 Stand
 With Alloy tube
 Box: 1 Pc/
 5kgs, 6kgs/0.5'



For SHIMANO USE
Model YC-728
 Ye Chou's "Bike Hand" Box Tool Kit
 Box: 5 sets/14kgs, 15 kgs/1'



Model YC-748
 Advanced Mechanic Tool Kit
 Box: 2 sets/12kgs, 13kgs/3'



Model YC-291
Shimano XTR Crank Arm Installation Tool
PE: 50/pcs/6kgs, 7kgs/0.4'

Model YC-291P
Adjust Nut Tool



Model YC-280
Folding tool
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12, 13, 14mm box
0.127" 0.130" 0.136" spoke wrench
+/-tire lever
Packing: 50/set/9kgs, 10kgs/0.3'



Model YC-280KE
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12mm box wrench
0.127" 0.130" 0.136" spoke wrench,
+/-screw driver, tire lever
Chain rivet extractor, stainless steel knife
Packing: 50/set/10kgs, 11kgs/0.3'



Model YC-103
Display stand
height and angle adjustable
to fit different bicycle frame.
PE: 10 pcs/10kgs, 11kgs/2.1'



Model YC-148
8mm-15mm
Combination ratchet wrenches
Cr-V Steel
PE: 50/pcs/13kgs, 14kgs/0.6'



Model YC-1JPH
3.2mm Nipple Spoke wrench for carbon Rim.
PE: 100/pcs/5kgs, 6kgs/0.6'



Model YC-279
Folding tool with knife(noumenon with alloy).
2/2.5/3/4/5/6/8mm hex key wrench.
+/- screwdriver, 14G/15G spoke.
Chain rivet extractor.
2pcs tire lever.
PE: 50/set/9kgs, 10kgs/0.3'



Model YC-792A, YC-792B
Bike Cleaning Brush
PE: 50 pcs/5kgs, 6kgs/1.5'

Model YC-793
Frame/Fork Tube Brush
39cm long Cleaning and Scrubbing Brush



Model YC-323
Mini Chain Remover
Suitable for UG & HG,
Comfortable handle
PE: 200/pcs/15kgs, 16kgs/0.8'



Model YC-275
Folding Tool (Noumenon With Alloy)
2/2.5/3/4/5/6/8mm hex key wrench
+/-screwdriver.
(14G/15G Spoke, 8/9/10 Spanner, 2 Tire Lever)
PE: 100/pcs/16kgs, 17kgs/0.4'



Model YC-791
Chain Scrubber
With a large solvent reservoir
and rotating bristles
2 step cleaning process,
easy operation
PE: 20/pcs/7kgs, 8kgs/1.2.



Model YC-790
Chain Scrubber
Nylon body with bristles
PE: 100/pcs/7kgs, 8kgs/0.7'



Model YC-813C
Extra long 10MM Allen Key
For Campagnolo® B.B 10MM bolt
PE: 50/pcs/13kgs, 14kgs/0.6'

Model YC-126C
B.B./ Cassette Tool For Campagnolo
PE: 300/pcs/15kgs, 16kgs/0.8'



Model YC-167
BB facing tool
PE: 10 sets/20kgs, 21kgs/1'



Model YC-168
Disc mount facing tool
PE: 10 sets/17kgs, 18kgs/1'



Model YC-166C-O
Campagnolo Bearing puller 25mm
PE: 10 sets/17kgs, 18kgs/1'

Model YC-166C-P
Campagnolo Installation set 25mm
PE: 20 sets/10kgs, 11kgs/0.6'



Model YC-6G, YC-8A, YC-8B

"0" spoke adjuster cp.
 YC-6G, 10g-15g.
 PE: 500/pcs/18kgs, 19kgs/0.8'
 YC-8A, 10g-15g.
 PE: 300/pcs/15kgs, 16kgs/0.6'
 YC-8B, 9-g15g
 PE: 500/pcs/18kgs, 19kgs/0.8'



Model YC-6A
 Cr-Mo spoke tool, 14/15G
 PE: 500/pcs/20kgs, 21kgs/0.9'



Model YC-107
 Headset Press-In Tool
 For use of regular oversize headset and hanger bearing cup
 PE: 10 sets/20kgs, 21kgs/1'

Model YC-107-B
 B.B. Set Press-In Tool
 For use of regular, oversize BB set and hanger bearing cup
 For BMX, MTB & ATB



Model YC-658-15S
 Hub cone spanner
 15mm pedal (small pedal)
 Hardened steel, black finish,
 PE: 200/pcs/18kgs, 19kgs/0.6'



Model YC-266, YC-267, YC-270
 Folding tool
 YC-266 3/4/5/6mm hex wrenches with flat & philips screw drivers.
 YC-267 2/3/4/5/6mm hex wrenches with flat & philips screw drivers.
 YC-270 2/2.5/3/4/5/6mm hex key wrench +/- screw driver.
 PE: 100 pcs/16kgs, 17kgs/0.3'



Model YC-HG10S
 Quick fix pinfor 10 speed
Model YC-HG9S
 Quick fix pinfor 9 speed
 PE: 500 pcs/4kgs, 5kgs/0.4'



Model YC-163L
 Pedal Wrench 2 Sides 15mm Fittings, 350mm Length
 PE: 50/pcs/17kgs, 18kgs/0.7'
Model YC-163
 Pedal Wrench 1 Side 14mm Fitting, 1 Side 15mm Fitting, Middle 24mm Fitting, 285mm Length.
 PE: 50/pcs/17kgs, 18kgs/0.6'



Model YC-772
 Multi-purpose tool kit
 PE: 20 sets/14kgs, 15kgs/0.8'
Model YC-618
 Economkal tool kit
 PE: 20 sets/16kgs, 17kgs/0.8'



Model SL-326A, SL-326G
 Chain rivet extractor.
 R.O.C. pat. No.32236
 UCP finished.
 PE: 200/pcs/20kgs, 21kgs/0.8'



Model YC-207
 Chain Hook
 For fixing chains when assembling chains
 PE: 200/pcs/7kgs, 8kgs/0.6'



Model YC-286N
 Min Folding Tool (noumenon with stainless)
 2/2.5/3/4/5/6/8MM Hex Key Wrench +/-Screwdriver, T25 Wrench
 PE: 100pcs/11kgs, 12kgs/0.3'



Model YC-768
 Cable cutter
 PE: 50pcs/14kgs, 15kgs/0.6'
Model YC-767
 Cable cutter
 Recommended for all bicycle cable/casing including SIS, SP outer casing, cuts without fraying.
 PE: 100pcs/16kgs, 17kgs/0.8'



Model YC-766
 Inner wire plier.
 Handle with vinyl coated.
 PE: 50/pcs/12kgs, 13kgs/0.6'



Model YC-311
 Made of fiberglass filled nylon.
 PE: 200 sets/8kgs, 9kgs/0.8'
Model YC-313
 Made of steel, c-p finish.
 PE: 200 sets/22kgs, 23kgs/0.4'
Model YC-309
 Tire Lever
 PE: 200 sets/8kgs, 9kgs/0.6'



Model YC-356Y, YC-357Y
 "Y" hex key wrench.
 YC-356Y 4/5/6mm. Sockets
 YC-357Y 8/9/10mm. Sockets
 YC-358Y 11/13/14mm. Sockets
 PE: 150/set/17kgs, 18kgs/0.6'



Model YC-279-DN
 Folding tool
 2/2.5/3/4/5/6/8mm hex key wrench. +/-screwdriver.
 8/9/10mm sockets
 PE: 50/set/9kgs, 10kgs/0.3'
Model YC-263-15
 Folding tool
 2/3/4/5/6/T20/T25/15mm
 PE: 100pcs /17kgs, 18kgs/0.4'
Model YC-274
 Folding Tool
 2/2.5/3/4/5/6mm hex key wrench, 8mm socket, +/- screw driver, T25



Model YC-28BB

8-notch cartridge BB and chain wheel tool, made of Cr-Mo steel, Shimano compatible. For use with 36mm spanner. PE: 100/pcs/13kgs, 14kgs/0.3'



Model YC-121A

Freewheel remover. For use of Shimano freewheel. Hardened, black finish. PE: 500/pcs/18kgs, 19kgs/0.8'



Model YC-333

Alloy chain rivet extractor. 14G/15G/spoke 8/10 spanner. 2 tire lever. one replacement pin is at side of body. PE: 100/pcs/9kgs, 10kgs/0.6'



Model YC-325P2

Chain Remover With two Pins Suits For HG/UG/VG Come With One Remover Pin And One Chain Pin PE: 100 pcs/15kgs, 16kgs/0.6'



Model YC-201, YC-401, YC-402, YC-120B

Freewheel remover.




Model YC-331

Chain rivet extractor. Investment casting lost wax process. 8/9/10mm spanner.

Model YC-329

Chain rivet extractor for 410, 408 Alpha, UG and HG chain



Model YC-23SA, YC-23LA

Storage Hook PE: 25 sets/15kgs, 16kgs/0.6'

Model YC-20SA

Storage hook. PE: 100 sets/16kgs, 17kgs/0.6'



Model YC-201L, YC-401H

Freewheel remover 500/pcs/18kgs, 19kgs/0.8

Model YC-122A

Freewheel Remover Lengthened size PE: 300/pcs/17kgs, 18kgs/0.6'



Model YC-659-40A, 36B, 32C, 30D

Headset wrench. Length 275mm, hardened, cp finish. 33 x 34mm 30 x 32 x 36 x 40mm PE: 50/pcs/18kgs, 169kgs/0.4'



Model YC-658

Hub cone spanner Hardened steel, black finish, 13 x 14 x 15 x 16 x 17x18x19x23x 24x25mm

Set of 6 pcs

PE: 30/set/16kgs, 17kgs/0.6'



Model YC-215A

Model YC-215CB

Model YC-215A, YC-215CB

Crank Puller With 8mm Allen Key Removes crank arms from Shimano splined, oversized B.B. and from ISIS Drive YC-215A 50/set/16kgs, 17kgs/0.7' YC-215CB 100 pcs/12kgs, 13kgs/0.3'



Model YC-156A

Pedal remover Length: 300mm, 16mm x 15, 17mm x 15.

PE: 50/pcs/18kgs, 19kgs/0.4'



Model YC-152, YC-153

YC-152 Hub cone spanner Made of steel, hardened and black finish. 13 x 14 x 15 x 16mm Set of 2pieces PE: 100/set/19kgs, 20kgs/0.4' YC-153 Headset wrench. Length 285mm, hardened, c-p finish. 30 x 32 x 36 x 40mm PE: 50/pcs/15kgs, 16kgs/0.3'



Model YC-157, YC-155

Tool for bottom bracket cup, adjustable to fit most of B.B. With two spare bolts, handle with vinyl coated. Lock-ring tool. The pivot section provides a secure fit for all lock rings. Handle with vinyl coated. PE: 200/pcs/20kgs, 21kgs/0.6'



Model YC-216, YC-216A

Cotterless crank extractor. 22mm x 1.0p heat-treated, c-p. YC-216 100/pcs/12kgs, 13kgs/0.3' YC-216A 100/set/16kgs, 17kgs/0.6'



Model YC-161

Pedal/box wrench 15mm open-ended spanner for Pedal: 14/15mm box wrench fit to rear & front hub nut, crank fixing PE: 100/pcs/16kgs, 17kgs/0.8'



Model YC-28BB

8-notch cartridge BB and chain wheel tool, made of Cr-Mo steel, Shimano compatible. For use with 36mm spanner.
PE: 100/pcs/13kgs, 14kgs/0.3'



Model YC-121A

Freewheel remover. For use of Shimano freewheel. Hardened, black finish.
PE: 500/pcs/18kgs, 19kgs/0.8'



Model YC-333

Alloy chain rivet extractor. 14G/15G/spoke 8/10 spanner. 2 tire lever. one replacement pin is at side of body.
PE: 100/pcs/9kgs, 10kgs/0.6'



Model YC-325P2

Chain Remover With two Pins Suits For HG/UG/VG Come With One Remover Pin And One Chain Pin
PE: 100 pcs/15kgs, 16kgs/0.6'



Model YC-201, YC-401, YC-402, YC-120B

Freewheel remover.




Model YC-331

Chain rivet extractor. Investment casting lost wax process. 8/9/10mm spanner.

Model YC-329

Chain rivet extractor for 410, 408 Alpha, UG and HG chain



Model YC-23SA, YC-23LA

Storage Hook
PE: 25 sets/15kgs, 16kgs/0.6'

Model YC-20SA

Storage hook.
PE: 100 sets/16kgs, 17kgs/0.6'



Model YC-201L, YC-401H

Freewheel remover
500/pcs/18kgs, 19kgs/0.8

Model YC-122A

Freewheel Remover Lengthened size
PE: 300/pcs/17kgs, 18kgs/0.6'



Model YC-659-40A, 36B, 32C, 30D

Headset wrench. Length 275mm, hardened, cp finish. 33 x 34mm
30 x 32 x 36 x 40mm
PE: 50/pcs/18kgs, 169kgs/0.4'



Model YC-658

Hub cone spanner
Hardened steel, black finish, 13 x 14 x 15 x 16 x 17x18x19x23x 24x25mm

Set of 6 pcs

PE: 30/set/16kgs, 17kgs/0.6'



Model YC-215A, YC-215CB

Crank Puller With 8mm Allen Key
Removes crank arms from Shimano splined, oversized B.B. and from ISIS Drive
YC-215A 50/set/16kgs, 17kgs/0.7'
YC-215CB 100 pcs/12kgs, 13kgs/0.3'



Model YC-156A

Pedal remover
Length: 300mm, 16mm x 15, 17mm x 15.

PE: 50/pcs/18kgs, 19kgs/0.4'



Model YC-152, YC-153

YC-152
Hub cone spanner
Made of steel, hardened and black finish. 13 x 14 x 15 x 16mm
Set of 2pieces
PE: 100/set/19kgs, 20kgs/0.4'
YC-153
Headset wrench.
Length 285mm, hardened, c-p finish. 30 x 32 x 36 x 40mm
PE: 50/pcs/15kgs, 16kgs/0.3'



Model YC-157, YC-155

Tool for bottom bracket cup, adjustable to fit most of B.B. With two spare bolts, handle with vinyl coated.
Lock-ring tool.
The pivot section provides a secure fit for all lock rings. Handle with vinyl coated.
PE: 200/pcs/20kgs, 21kgs/0.6'



Model YC-216, YC-216A

Cotterless crank extractor. 22mm x 1.0p heat-treated, c-p.
YC-216 100/pcs/12kgs, 13kgs/0.3'
YC-216A 100/set/16kgs, 17kgs/0.6'



Model YC-161

Pedal/box wrench
15mm open-ended spanner for Pedal: 14/15mm box wrench fit to rear & front hub nut, crank fixing
PE: 100/pcs/16kgs, 17kgs/0.8'



Model YC-3123
Tire Lever Set
Long Type, 2 Pcs
PE: 100/set/2kgs, 3kgs/0.7'



Model YC-286B
Mini Folding tool (noumenon with Alloy)
2/2.5/3/4/5/6/8mm hex key wrench
+ screwdriver, T25 wrench
Pacting: 100 pcs/10kgs, 11kgs/0.4'



Model YC-287 B1
Folding tool.(noumenon with Alloy)
2/2.5/3/4/5/6/8mm hex key wrench
+/- screwdrive, T25, 14g/15g spoke
(4.3mm Shimano)/(Mavic)spoke
wrench
Packing: 100 pcs/18kgs, 19kgs/10.8'



Model YC-56LN
5/6mm Rubber-coated hex key Wrench.
Model YC-68N
6/8mm Rubber-coated hex key Wrench.
Model YC-810N
8/10mm Rubber-coated hex key
Wrench.



Model YC-1S
4.3mm spoke wrench for Shimano.
Model YC-1M
Spoke wrench for Mavic.
PE: 500 pcs/12kgs, 13kgs/0.6'



Model SL-326L
Chain rivet extractor.
Made of steel c-p finish.
4/5/6mm hex key wrench.
PE: 100/pcs/19kgs, 20kgs/0.6'
Model YC-327
Chain rivet extractor.
Made of steel c-p finish.
PE: 200/pcs/20kgs, 21kgs/0.8'



Model YC-285
Including: chain rivet extractor
4, 5, 6mm Allen key
+ screwdriver
Packing: 200/sets/16, 17/0.6



**Model YC-503 Chain
Wear Indicator**
A worn chain shifts poorly and wears
sprockets at an accelerated rate.
75% and 1% wear, the points at
which most chain manufacturers
suggest replacement. Made from
precision, laser cut steel.



**Model YC-257-A, YC-257-B,
YC-257-C**
Through heat-treated double-Ended
Hub spanner
YC-257-A 13mm, 14mm
YC-257-B 15mm, 16mm
YC-257-C 17mm, 18mm
300/pcs/17kgs, 18kgs/0.5'



Model YC-1858M
Head Cup Remover 28.6mm
Size: YC-1858M 28.6mm
PE: 50/pcs/17kgs, 18kgs/1'



Model YC-617
1/2" Torque Wrench
Box 5/bx/15kgs, 16kgs/0.8'
Model YC-617-2
1/4" Torque Wrench



Model YC-786
Apron
Packing: 30/pcs/6kgs, 7kgs/1.5'



Model YC-217
Chainring Nut Wrench
For use of fixing the bolt of chainring
PE: 200/pcs/9kgs, 10kgs/0.6'
Model YC-271
Chainring Nut Wrench
W/Crank Cover Wrench.
PE: 200/pcs/9kgs, 10kgs/0.6'



Model YC-159-S
Lock ring tool.
15/16mm spanner.
PE: 150/set/23kgs, 24kgs/0.4'
Model YC-502A
The pivot section provides a secure fit
for all lock rings.
Handle with vinyl coated 15/16mm
spanner.
Freewheel turner.
Length: 230mm.
PE: 50/pcs/100kgs, 13kgs/0.3'



Model YC-623
Hex key wrench set.
1.5/2.5/3/4/5/6/8/10mm hex key
wrench set, with ball-end.
PE: 50/set/22kgs, 23kgs/0.4'
Model YC-613
Hex key wrench set.
2/2.5/3/4/5/6mm hex key wrench.
PE: 200/set/20kgs, 21kgs/0.6'



Model YC-268L-1
Hex key wrench set with ring.
2-7mm Allen key
Model YC-56N, YC-58N
Hex key wrench
5/6mm hex key wrench
Model YC-256
Hub cone spanner.
Model YC-1300
16-way spanner.
Model YC-1301
8, 12, 14, 15, 32mm spanner



Model YC-6G, YC-8A, YC-8B

"0" spoke adjuster cp.
 YC-6G, 10g-15g.
 PE: 500/pcs/18kgs, 19kgs/0.8'
 YC-8A, 10g-15g.
 PE: 300/pcs/15kgs, 16kgs/0.6'
 YC-8B, 9-g15g
 PE: 500/pcs/18kgs, 19kgs/0.8'



Model YC-6A
 Cr-Mo spoke tool, 14/15G
 PE: 500/pcs/20kgs, 21kgs/0.9'



Model YC-107
 Headset Press-In Tool
 For use of regular oversize headset and hanger bearing cup
 PE: 10 sets/20kgs, 21kgs/1'
Model YC-107-B
 B.B. Set Press-In Tool
 For use of regular, oversize BB set and hanger bearing cup
 For BMX, MTB & ATB



Model YC-658-15S
 Hub cone spanner
 15mm pedal (small pedal)
 Hardened steel, black finish,
 PE: 200/pcs/18kgs, 19kgs/0.6'



Model YC-266, YC-267, YC-270
 Folding tool
 YC-266 3/4/5/6mm hex wrenches with flat & philips screw drivers.
 YC-267 2/3/4/5/6mm hex wrenches with flat & philips screw drivers.
 YC-270 2/2.5/3/4/5/6mm hex key wrench +/- screw driver.
 PE: 100 pcs/16kgs, 17kgs/0.3'



Model YC-HG10S
 Quick fix pinfor 10 speed
Model YC-HG9S
 Quick fix pinfor 9 speed
 PE: 500 pcs/4kgs, 5kgs/0.4'



Model YC-163L
 Pedal Wrench 2 Sides 15mm Fittings, 350mm Length
 PE: 50/pcs/17kgs, 18kgs/0.7'
Model YC-163
 Pedal Wrench 1 Side 14mm Fitting, 1 Side 15mm Fitting, Middle 24mm Fitting, 285mm Length.
 PE: 50/pcs/17kgs, 18kgs/0.6'



Model YC-772
 Multi-purpose tool kit
 PE: 20 sets/14kgs, 15kgs/0.8'
Model YC-618
 Economkal tool kit
 PE: 20 sets/16kgs, 17kgs/0.8'



Model SL-326A, SL-326G
 Chain rivet extractor.
 R.O.C. pat. No.32236
 UCP finished.
 PE: 200/pcs/20kgs, 21kgs/0.8'



Model YC-207
 Chain Hook
 For fixing chains when assembling chains
 PE: 200/pcs/7kgs, 8kgs/0.6'



Model YC-286N
 Min Folding Tool (noumenon with stainless)
 2/2.5/3/4/5/6/8MM Hex Key Wrench +/-Screwdriver, T25 Wrench
 PE: 100pcs/11kgs, 12kgs/0.3'



Model YC-768
 Cable cutter
 PE: 50pcs/14kgs, 15kgs/0.6'
Model YC-767
 Cable cutter
 Recommended for all bicycle cable/casing including SIS, SP outer casing, cuts without fraying.
 PE: 100pcs/16kgs, 17kgs/0.8'




Model YC-766
 Inner wire plier.
 Handle with vinyl coated.
 PE: 50/pcs/12kgs, 13kgs/0.6'



Model YC-311
 Made of fiberglass filled nylon.
 PE: 200 sets/8kgs, 9kgs/0.8'
Model YC-313
 Made of steel, c-p finish.
 PE: 200 sets/22kgs, 23kgs/0.4'
Model YC-309
 Tire Lever
 PE: 200 sets/8kgs, 9kgs/0.6'



Model YC-356Y, YC-357Y
 "Y" hex key wrench.
 YC-356Y 4/5/6mm. Sockets
 YC-357Y 8/9/10mm. Sockets
 YC-358Y 11/13/14mm. Sockets
 PE: 150/set/17kgs, 18kgs/0.6'



Model YC-279-DN
 Folding tool
 2/2.5/3/4/5/6/8mm hex key wrench. +/-screwdriver.
 8/9/10mm sockets
 PE: 50/set/9kgs, 10kgs/0.3'
Model YC-263-15
 Folding tool
 2/3/4/5/6/T20/T25/15mm
 PE: 100pcs /17kgs, 18kgs/0.4'
Model YC-274
 Folding Tool
 2/2.5/3/4/5/6mm hex key wrench, 8mm socket, +/- screw driver, T25



Model YC-153L6
32/36mm Headset Wrench
heat treatment
Thickness:6mm
PE: 20/pcs/15kgs, 16kgs/0.6'



Model YC-162
Pedal wrench
15mm open-ended spanner
PE: 100/pcs/16kgs, 17kgs/0.4'



Model YC-126-2A
Freewheel Remover With Handle
For use with Shimano HG cassette
Hardened Steel
PE: 50 pcs/11kgs, 12kgs/0.5'



Model YC-218 Crank Bolt Wrench
14mm socket and 8mm Hex Wrench
PE: 100/pcs/16kgs, 17kgs/0.6'



Model YC-27BB
Bottom Bracket Wrench Shimano Hollowtech II B.B.
PE: 50 pcs/11kgs, 12kgs/0.4'



Model YC-501A
Freewheel turner.
Length: 305mm
PE: 50/pcs/15kgs, 16kgs/0.3'



Model YC-26BB-2A
Cartridge B.B Tool With Handle
For use with shimano cartridge B.B. and ISIS Drive
Box: 50/pcs/17kgs, 18kgs/0.6'



Model YC-165 Rotor flattening tool
PE: 50/pcs/11kgs, 12kgs/0.4'



Model YC-27
Bottom Bracket Wrench Engaging The 8 Internal Splines Of The Crank Arm Adjustment Cap.



Model YC-29BB-2A
Bottom Bracket Wrench Shimano, Truvativ, Race Face, and Campagnolo Hollowtech II B.B.
1/2" drive Torque Wrench
PE: 50pcs/13kgs, 14kgs/0.6'



Model YC-29BB
Bottom Bracket Wrench with Handle
PE: 25pcs/12kgs, 13kgs/0.5'



Model YC-216C
Crank Puller
Remove crank from Shimano spindle, over-sized BB and ISIS drive
PE: 100/pcs/12kgs, 13kgs/0.3'



Model YC-4TPHB, YC-5TPHB, YC-6TPHB
1 Hex Wrench, 1 Ball-type Hex Wrench
1.5mm~10mm, T25/T30
PE: 100/pcs/5kgs, 6kgs/0.6'



Model YC-335
Master Link Opener
To allow the derailleur chain of 8, 9 and 10 speeds to be removed from a master link
PE: 100pcs/15kgs, 16kgs/10.7'

Model YC-335C
Master Link Fixer
To allow the derailleur chain of 8, 9 and 10 speeds to be installed from a master link
PE: 100pcs/15kgs, 16kgs/0.7'



Model YC-336
Chain rivet extractor for Shimano-compatible HG/UG/IG chains, Cr-Mo steel.
Perfect for 7, 8, 9 and 10-speeds chains.
PE: 100pcs/11kgs, 12kgs/0.6'



Model YC-324SC
Adjustable chain remover
Suitable for UG, HG, Hp, 3/16" & 3/8" BMX/Freestyle
Compatible with any chain including 11 speeds
PE: 40/pcs/15kgs, 16kgs/0.8'



Model YC-626-15D
Portable pedal tool
Stainless steel
15 mm wrench, 3.2/3.5 mm spoke wrench, tire lever, 14/15 sockets-axle nuts
PE: 100/pcs/18kgs, 19kgs/0.5'

Model YC-626
Portable tool for pedals
Material: Stainless steel.
Includes 15mm wrench, 3.2/3.5mm spoke wrench, Tire Lever and bottle opener features.
PE: 100pcs/16kgs, 17kgs/0.4'



Model YC-303BB
Bottom Bracket Wrench with Handle
For Shimano and Campagnolo
Length: 350mm
PE: 50pcs/17kgs, 18kgs/0.7'



Model YC-289
Mini folding tool (nomenclon with stainless steel)
2/3/4/5/6mm hex key wrench, +/- screwdriver,
T25 wrench, 3.2/3.3/3.5 and Mavic spoke wrench.
PE: 100pcs/10kgs, 11kgs/0.4'



Model YC-290
Folding tool (nomenclon with stainless steel)
2/2.5/3/4/5/6/8mm hex key wrench,
+ screwdriver, T25 wrench, tire lever, chain
rivet extractor, 14G/15G (4.3mm Shimano)/
(Mavic) spoke wrench. 15mm wrench
PE: 100pcs/18kgs, 19kgs/0.8'



Model YC-98
Dual-Touch Bicycle Stand with
Alloy tube, stable tripod base.
Can hold up to 4 bikes
(2 bike mount included).
Box: 1 pcs/6kgs, 7kgs/1.6'



Model YC-506-10S Lock Ring Tool
For 10 speeds Cassette
Model YC-506-BMX Lock Ring Tool
For BMX 1/8" Freewheel.
Model: YC-505 Freewheel tuner
For 15mm Pedal. Length: 350mm
PE: 50pcs/17kgs, 18kgs/0.8'



Model YC-617-2S
1/4" Torque Fix Set, 2-24NM
Sockets: Allen Key
3/4/5/6/8/10MM and T25 Torque
Box: 20 sets/14kgs, 15kgs/0.8'



Model YC-112LW
Oversized Adjustable
Saw Guide
PE: 30 pcs/
16kgs, 17kgs/0.6'



Model YC-1859
Crown race remover
Range: 25.4~28.6
PE: 25pcs/11kgs, 12kgs/0.4'



Model YC-1860
Crown Race Setting Tool
Universal Setting Tube and 1" and
1 1/8" Inserts
PE: 20 sets/15kgs, 16kgs/0.7'



Model YC-739
Tool Kit
PE: 5/set/10kgs, 11kgs/0.8'



Model YC-735-A
YE CHOUS' "BIKEHAND" TOOL KIT
Box: 5/set/14kgs, 15kgs/1'



Model YC-737
YE CHOUS'S "BIKEHAND"
Bicycle Repair Tool Kit
BOX: 5/set/11kgs,
12kgs/0.8'



Model YC-732
Complete tap set with handle
M3 x 0.5P, M5 x 0.8P, M6 x 1.0P,
M10 x 1.0P, 1/2" x 20 TPI L+R,
9/16" x 20 TPI L+R
Box: 20 sets/14kgs, 15kgs/0.8'



Model YC-99
Dual-Touch Bicycle Stand
with Alloy tube, up to a
height of 330cm.
Can hold up to 4 bikes
(2 bike mount included).
Box: 1 pc/6kgs, 7kgs/1.6'



Model YC-29S
Bike wall hanging hook
PE: 20 pcs/13kgs, 14kgs/0.8'



Model YC-30H
Bike wall hanging hook
PE: 20 pcs/13kgs, 14kgs/0.8'



Model YC-28H
Bike wall hanger for pedal
PE: 50 pcs/10kgs, 11kgs/0.5'



Model YC-112
Saw Guide Set
For use of 25.4/28.6 and 31.8mm
threadless forks/21.5mm handlebar
PE: 30/pcs/10kgs, 11kgs/0.6'



Model YC-113A, YC-113B

Star Nut Setting Tool
Install the star-shaped nut on the tool,
and tap it into the stem of the fork
with a hammer.

Model YC-113A(28.6mm)
Model YC-113B(25.4mm)
PE: 100 pcs/7kgs, 8kgs/0.6'



Model YC-115
Bicycle Repair Stand
Workbench Mount,
Head Rotated 360 Degrees.
Box: 1 Pc/2kgs, 3kgs/0.3'



Model YC-116
Bicycle Repair Stand
Wall Mount,
Head Rotated 360 Degrees.
Box: 1 Pc/2kgs, 3kgs/0.3'



Model YC-128
Hacksaw
All aluminum cast frame construction
and blade tension adjuster.
Accepts any 12" (300mm) hacksaw
blade.
PE: 20 pcs/20kgs, 21kgs/0.5'



Model YC-101
Bicycle storage hanger
Box: 20/pcs/9kgs, 10kgs/0.9'



Model YC-109
Bicycle stand
PE: 5/pcs/12kgs, 13kgs/1.5'



Model YC-117
Bicycle Tune-up Stand
Box: 10 pcs/11kgs, 12kgs/2.3'



**Model YC-1A-1, YC-1A-2,
YC-1A-3**
Spoke wrench.
YC-1A-1 For 0.127" nipple, black.
YC-1A-2 For 0.130" nipple, green.
CY-1A-3 For 0.136" nipple, red.
PE: 400/pcs/9kgs, 10kgs/0.8'



Model YC-1A
Spoke wrench
Cr-Mo spoke tool
0.127" 0.130" 0.136"
PE: 200/pcs/10kgs, 11kgs/0.4'



Model YC-26BB-1A
Cartridge B.B. tool.
For use with Shimano cartridge
B.B.
Model YC-26BB
Cartridge B.B. tool.
For SHIMANO cartridge B.B.
Hardened
PE: 100/pcs/14kgs, 15kgs/0.4'



Model YC-126-1A
Cr-Mo Lockring remover with
post.
HG cassette lockrings.
For use with shimano
PE: 200 pcs/14kgs, 15kgs/0.8'
Model YC-126
Freewheel remover.
PE: 300 pcs/15kgs, 16kgs/0.6'



**Model YC-1AB-1, YC-1AB-2,
YC-1AB-3**
Cr-Mo Spoke wrench.
YC-1AB-1 For 0.127" nipple, black.
YC-1AB-2 For 0.130" nipple, green.
CY-1AB-3 For 0.136" nipple, red.
PE: 400/pcs/9kgs, 10kgs/0.8'



Model YC-291
Shimano XTR Crank Arm
Installation Tool
PE: 50/pcs/6kgs, 7kgs/0.4'

Model YC-291P
Adjust Nut Tool



Model YC-280
Folding tool
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12, 13, 14mm box
0.127" 0.130" 0.136" spoke wrench
+/-tire lever
Packing: 50/set/9kgs, 10kgs/0.3'



Model YC-280KE
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12mm box wrench
0.127" 0.130" 0.136" spoke wrench,
+/-screw driver, tire lever
Chain rivet extractor, stainless steel knife
Packing: 50/set/10kgs, 11kgs/0.3'



Model YC-103
Display stand
height and angle adjustable
to fit different bicycle frame.
PE: 10 pcs/10kgs, 11kgs/2.1'



Model YC-148
8mm-15mm
Combination ratchet wrenches
Cr-V Steel
PE: 50/pcs/13kgs, 14kgs/0.6'



Model YC-1JPH
3.2mm Nipple Spoke wrench for
carbon Rim.
PE: 100/pcs/5kgs, 6kgs/0.6'



Model YC-279
Folding tool with knife(noumenon with
alloy).
2/2.5/3/4/5/6/8mm hex key wrench.
+/- screwdriver, 14G/15G spoke.
Chain rivet extractor.
2pcs tire lever.
PE: 50/set/9kgs, 10kgs/0.3'



Model YC-792A, YC-792B
Bike Cleaning Brush
PE: 50 pcs/5kgs, 6kgs/1.5'

Model YC-793
Frame/Fork Tube Brush
39cm long Cleaning and Scrubbing Brush



Model YC-323
Mini Chain Remover
Suitable for UG & HG,
Comfortable handle
PE: 200/pcs/15kgs, 16kgs/0.8'



Model YC-275
Folding Tool (Noumenon With Alloy)
2/2.5/3/4/5/6/8mm hex key wrench
+/-screwdriver.
(14G/15G Spoke, 8/9/10 Spanner, 2
Tire Lever)
PE: 100/pcs/16kgs, 17kgs/0.4'



Model YC-791
Chain Scrubber
With a large solvent reservoir
and rotating bristles
2 step cleaning process,
easy operation
PE: 20/pcs/7kgs, 8kgs/1.2.



Model YC-790
Chain Scrubber
Nylon body with bristles
PE: 100/pcs/7kgs, 8kgs/0.7'



Model YC-813C
Extra long 10MM Allen Key
For Campagnolo® B.B 10MM bolt
PE: 50/pcs/13kgs, 14kgs/0.6'

Model YC-126C
B.B./ Cassette Tool For Campagnolo
PE: 300/pcs/15kgs, 16kgs/0.8'



Model YC-167
BB facing tool
PE: 10 sets/20kgs, 21kgs/1'



Model YC-168
Disc mount facing tool
PE: 10 sets/17kgs, 18kgs/1'



Model YC-166C-O
Campagnolo Bearing puller 25mm
PE: 10 sets/17kgs, 18kgs/1'

Model YC-166C-P
Campagnolo Installation set 25mm
PE: 20 sets/10kgs, 11kgs/0.6'